





















 **Baufen**[®] Profiles

Ultima 70


www.proal.rs

| ŠIFRA CODE | Opis Description | Profil Profile | ŠIFRA CODE | Opis Description | Profil Profile |
|------------|-------------------------------------|---|------------|------------------------------------|---|
| 7101 | Štok Frame |  | 7110 | Štok Frame |  |
| Ultima 70 | | | Ultima 70 | | |
| 7201 | Krilo Sash |  | 7210 | Oblo krilo Sash |  |
| Ultima 70 | | | Ultima 70 | | |
| 7301 | „T“ profil „T“ profile |  | 7601 | Srednja dopuna Overhung |  |
| Ultima 70 | | | Ultima 70 | | |
| 7401 | Krilo vrata Door sash |  | 7501 | Krilo u polje Sash in the space |  |
| Ultima 70 | | | Ultima 70 | | |
| 7701 | Kugla Bay&bow pole |  | 7801 | Adapter kugle Bay&bow adaptor |  |
| Ultima 70 | | | Ultima 70 | | |
| 1400 | Proširenje štoka Frame extension |  | 1500 | Ugao 90° Corner profile |  |
| Ultima 70 | | | Ultima 70 | | |

| ŠIFRA CODE | Opis Description | Profil Profile | ŠIFRA CODE | Opis Description | Profil Profile |
|---------------|--|---|---------------|-------------------------------|---|
| 1017 | Čep srednje dopune Overhung cover |  | 1101 32 mm | Lajsna za staklo Glassbead |  |
| Ultima 70 | | | Ultima 70 | | |
| 1012 | Spojnicica „T“ profila Metal mullion connector |  | 1003 36 mm | Lajsna za staklo Glassbead |  |
| Ultima 70 | | | Ultima 70 | | |
| 1230 | Aluminijumski prag za vrata Doorsteel |  | 1007 24 mm | Lajsna za staklo Glassbead |  |
| Ultima 70 | | | Ultima 70 | | |
| 1231 | Čep aluminijumskog praga Cover for doorsteel |  | | Guma Rubber |  |
| Ultima 70 | | | Ultima 70 | | |


7101

Štok / Frame




7110

Krilo za renovaciju / Frame




7201

Krilo / Sash




7210

Oblo krilo / Sash




7301

„T“ profil / „T“ profile





7601

Srednja dopuna / Overhung



7501


Krilo u polje / Sash in the space



1101

Lajsna za staklo
Glassbead


/32 mm/



1007

Lajsna za staklo
Glassbead


/24 mm/



1003


Lajsna za staklo
Glassbead

/36 mm/




7701

Kugla / Bay & bow pole




1500

Ugao 90° / Corner profile




7801


Adapter kugle / Bay&bow adaptor




1500

Proširenje štoka
Frame extension






M 1:1
Razmera
Cutting out



M 1:1
Razmera
Cutting out



M 1:1
Razmera
Cutting out

Karakteristike sistema System characteristics


Savremeni SoftLine dizajn zaobljenih površina

- 7 komora oblo krilo širine 80 mm
- Poboľjšane karakteristike usklađene sa Ultima 70
- Promenom strukture poboljšane karakteristike krila
- Mogućnost kombinovanja elemenata iz sistema Ultima 70
- Staklo paket do 36 mm



Modern SoftLine design with oval shapes

- 80 mm oval sash with 7 chambers
- Improved performance for thermal insulation in comparison to Ultima 70
- Improved statics thanks to the reinforced structure of the sash
- Combination with all elements of the system Ultima 70
- Glazing up to 36 mm



M 1:1
Razmera
Cutting out

Karakteristike sistema System characteristics


Sistem za renoviranje sa čistom ugradnjom

- Sistem sa 6 komora, ugradne mere 70 mm
- Specifičan dizajn pogodan za laku zamenu stare stolarije
- Velika površina svetla
- Mogućnost kombinovanja sa elementima iz sistema Ultima 70
- Staklo paket do 36 mm



System for renovation with clean installation

- 6-chamber system with a base width of 70 mm
- Specific design of the frame, designed for renewal without dismantling the existing windows
- Maximum preservation of the bright part of window
- Compatible with all elements of Ultima 70 and Ultima SoftLine
- Glazing up to 36 mm



M 1:1
Razmera
Cutting out