



Klizni stakleni sistemi

SCS-L

Bez praga
Jedno staklo

SCS-X

Sa pragom
Jedno staklo

SCS-D

Sa izo staklom
Sistem

SCS-L

PROAL

Klizni stakleni sistem (bez praga) Sliding Glass System (Without Threshold)



Debljina stakla
Kaljeno staklo 8-10 mm

Glass Thicknesses
8-10 mm Tempered Glasses



Boja profila
Colour opt. for profiles

-  Prirodni eloksir / Natural Anodised
-  Dekor drveta / Wood Effect Colour
-  RAL 7016 antracit mat / Anthracite Matt



Maks. širina krila
1000 mm

Max. Panel width
1000 mm



Maks. visina krila
2500 mm

Max. Panel height
2500 mm



Boja okova
Accessory Color

-  Crna / Black
-  Siva / Grey



DVOSMERNA BRAVA
DOUBLE WAY LOCK



PANEL ZA LAKO ČIŠĆENJE
ERASEABLE PANEL



NOŽNA BRAVA
FOOT LOCK



OKAPNI PROFIL
DROPPER PROFIL



OKAPNI PROFIL
DROPPER PROFIL



OKAPNI PROFIL
DROPPER PROFIL




90° SPOJ
90° JOINT



DONJA ŠINA (3-5 KANALA)
BOTTOM RAIL (3 - 5 RAILS)



PODESIVI TOČIČ
ADJUSTABLE WHEEL



SCS-L

Klizni stakleni sistemi Sliding Glass Systems



SCS-L 01-A



SCS-L 01-B



SCS-L 02-A



SCS-L 02-B



SCS-L 03-A



SCS-L 03-B



SCS-L 04



SCS-L 05
8 mm



SCS-L 06
10 mm



SCS-L 09
8 mm



SCS-L 10
10 mm



SCS-L 29
8 mm



SCS-L 30
10 mm



SCS-L 31
8 mm



SCS-L 32
10 mm



SCS-L 11
Pak. / Package
Tip: 1 set



SCS-L 13-S
Inoks
Pak. / Package
Tip: 1 kom.



SCS-L 16-A
Pak. / Package
Tip: 1 kom.



SCS-L 16-B
Pak. / Package
Tip: 1 kom.



SCS-L 17-A
Pak. / Package
Tip: 1 set



SCS-L 17-B

Pak. / Package
Tip: 1 set



SCS-L SET 01 G

Pak. / Package
Tip: 1 set



SCS-L SET 01 S

Pak. / Package
Tip: 1 set



SCS-L SET 02 G

Pak. / Package
Tip: 1 set



SCS-L SET 02 S

Pak. / Package
Tip: 1 set



SCS-L 15

Pak. / Package
Tip: 10 kompl.



DL 04

Pak. / Package
Tip: 1 kompl.



DL 03

Pak. / Package
Tip: 1 kompl.



DL 11

Inoks 316
Pak. / Package
Tip: 1 kompl.



DL 21

Pak. / Package
Tip: 1 kompl.



SCS-L 19-A

Pak. / Package
Tip: 25 kom.



SCS-L 19-B

Pak. / Package
Tip: 25 kom.



SCS-L 20-A

Pak. / Package
Tip: 25 kom.



SCS-L 20-B

Pak. / Package
Tip: 25 kom.



SF 02

8 x 10 mm
Pak. / Package
Tip: 200 m



SF 06

8 x 10 mm
Pak. / Package
Tip: 3 m / 4 m / 3x50 - 4x50



DST 01

15 mm
Pak. / Package
Tip: 25 m



PA 01

Poliuretan
Pak. / Package
Tip: 1 kom.



BS 03

6 x 500
Pak. / Package

SCS-X

PROAL

Klizni stakleni sistem (sa pragom) Sliding Glass System (With Thershold)



Debljina stakla
Kaljeno staklo 8-10 mm
Glass Thicknesses
8-10 mm Tempered Double



Boja profila
Colour opt. for profiles

- Prirodni eloksir / Natural Anodised
- Dekor drveta / Wood Effect Colour
- RAL 7016 antracit mat / Anthracite Matt



Maks. širina krila
1000 mm

Max. Panel width
1000 mm



Maks. visina krila
2750 mm

Max. Panel height
2750 mm



Boja okova
Accessory Color

- Crna / Black
- Siva / Grey



NOŽNA BRAVA
FOOT LOCK



ODVOD VODE
WATER DRAINAGE



BRAVA ZA STAKLO
GLASS LOCK



SPOJNI PROFIL
JOINT PROFILE




DONJA ŠINA (3 KANALA)
BOTTOM RAIL (3)



DONJA ŠINA (5 KANALA)
BOTTOM RAIL (5)



PODESIVI TOČKIĆ
ADJUSTABLE WHEEL



SCS-X

Klizni stakleni sistemi Sliding Glass Systems



SCS-X 01-A



SCS-X 01-B



SCS-L 02-A



SCS-L 02-B



SCS-L 03-A



SCS-L 03-B



SCS-L 04



SCS-X 05
8 mm



SCS-X 06
10 mm



SCS-L 09
8 mm



SCS-L 10
10 mm



SCS-L 29
8 mm



SCS-L 30
10 mm



SCS-L 31
8 mm



SCS-L 32
10 mm



SCS-X 11
Pak. / Package
Tip: 1 set



SCS-L 13-S
Inoks
Pak. / Package
Tip: 1 kom.



SCS-L 16-A
Pak. / Package
Tip: 1 kom.



SCS-L 16-B
Pak. / Package
Tip: 1 kom.



SCS-X 17-A
Pak. / Package
Tip: 1 kom.



SCS-X 17-B

Pak. / Package
Tip: 1 kom.



SCS-X SET 01 G

Pak. / Package
Tip: 1 set



SCS-X SET 01 S

Pak. / Package
Tip: 1 set



SCS-X SET 02 G

Pak. / Package
Tip: 1 set



SCS-X SET 02 S

Pak. / Package
Tip: 1 set



SCS-X 18

Pak. / Package
Tip: 1 kom.



SCS-X 14

Pak. / Package
Tip: 10 kompl.



SCS-X 15

Pak. / Package
Tip: 10 kompl.



DL 03

Inoks
Pak. / Package
Tip: 1 kompl.



DL 11

Inoks 316
Pak. / Package
Tip: 1 kompl.



DL 21

Pak. / Package
Tip: 1 kompl.



SCS-X 19-A

Metal
Pak. / Package
Tip: 25 kom.



SCS-X 19-B

Metal
Pak. / Package
Tip: 25 kom.



SCS-X 20-A

Pak. / Package
Tip: 25 kom.



SCS-X 20-B

Pak. / Package
Tip: 25 kom.
Tip: 3/4 m



SF 02

8 x 10 mm
Pak. / Package
Tip: 200 m



SF 06

8 mm - 10 mm
Pak. / Package



BS 03

6 x 500
Pak. / Package



DST 01

-15 mm
Pak. / Package
Tip: 25 m



PA 01

Poliuretan
Pak. / Package
Tip: 1 kom.

SCS-D

PROAL

Klizni stakleni sistem sa izo staklom SCS-D Double-Glazing Sliding System



Debljina stakla
Kaljeno izo staklo 22 mm
Glass Thicknesses
22 mm Tempered Double-Glass



Boja profila
Colour opt. for profiles

-  Prirodni eloksir / Natural Anodised
-  Dekor drveta / Wood Effect Colour
-  RAL 7016 antracit mat / Anthracite Matt



Maks. širina krila
1000 mm
Max. Panel width
1000 mm



Maks. visina krila
3000 mm
Max. Panel height
3000 mm



Boja okova
Accessory Color

-  Crna / Black



Visoka otpornost na kišu, otopljeni sneg i vetar.
Great resistance to rainy weather conditions, snow water and wind.



SREDNJI SPOJ
DOUBLE WAY LOCK SYSTEM



SERVISNI PROFIL
MIDDLE BASE COMBINATION



SISTEM ZAKLJUČAVANJA
LOCK SYSTEM



PLUS RUČKA
PLUS HANDLE



UKOPANA RUČKA (SA KLJUČEM)
FLUSH MOUNTH LOCK WITH KEY



UKOPANA RUČKA (BEZ KLJUČA)
FLUSH MOUNTH LOCK WITHOUT KEY




DONJA ŠINA (3-4 KANALA)
BOTTOM RAIL PROFILE (3 - 4 RAILS)



90° SPOJ
90° JOINT



90° SPOJ
90° JOINT





SCS-D 311



SCS-D 313



SCS-D 314



SCS-D 315



SCS-D 316



SCS-D 317



SCS-D 318



SCS-D 319



SCS-D 401



SCS-D 402



SCS-D 403



SCS-D 407



SCS-D 408



SCS-D 409



SCS-D 410



SCS-D 411
Kutijasti profil 30 x 135



SCS-D 412



RS 16



SCS-X 11

Pak. / Package
Tip: 1 set



DL 05

Pak. / Package
Tip: 1 kompl.



DL 06

Pak. / Package
Tip: 1 kompl.




SCS-D 601

Pak. / Package
Tip: 1 kom.



SCS-D 602

Pak. / Package
Tip: 1 kom.



SCS-D 603

Pak. / Package
Tip: 1 kom.



SCS-D 611

Pak. / Package
Tip: 1 kom.



SCS-D 612

Pak. / Package
Tip: 1 kom.



SCS-D 613

Pak. / Package
Tip: 1 kom.



SCS-D 614

Pak. / Package
Tip: 1 kom.



SCS-D SET 02

Pak. / Package
Tip: 1 set



SCS-D SET 03

Pak. / Package
Tip: 1 set



SCS-X 18

Pak. / Package
Tip: 1 kom.



RS 04

Pak. / Package



RS 12

Pak. / Package



BS 03

6 x 500



PA 02

Poliuretan
Pak. / Package
Tip: 1 kom.



DL 14

Pak. / Package
Tip: 1 set



DL 15

Pak. / Package
Tip: 1 set